

Safety Data Sheet according to WHS Regulations

Date of issue: 06.12.2024 Revision date: 02.12.2024

1 Identification

Product Name: TEAT SHIELD

Other Means of Identification: Mixture
Other Name: Iodophor in surfactant solution

Recommended Use of the Chemical and Restriction on Use: Teat dip and spray for dairy cows

Details of Manufacturer or Importer:

DASCO Pty Ltd 24 - 26 Helen Street

Heidelberg Heights VIC 3081 **Phone Number:** (03) 9459 7004

Emergency telephone number: National Poisons Information Centre: 13 11 26

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition), IATA and IMDG/IMSBC.



GHS05 Corrosion

Eye damage/irritation – Category 1 H318 Causes serious eye damage.



Skin corrosion/irritation – Category 2 H315 Causes skin irritation.

Aquatic Acute 2 H401 Toxic to aquatic life.

Signal Word Danger

Hazard Statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

H401 Toxic to aquatic life.

Precautionary Statements

P264 Wash thoroughly after handling. P273 Avoid release to the environment.

P280 Wear protective gloves / eye protection / face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse. P332+P313 If skin irritation occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

(Contd. on page 2)

according to WHS Regulations

Date of issue: 06.12.2024 Revision date: 02.12.2024

Product Name: TEAT SHIELD

(Contd. of page 1)

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

CAS: 84133-50-6	Alcohols, C12-C14-secondary, ethoxylated	<20%
	Eye damage/irritation – Category 1, H318; Acute toxicity - oral – Category 4, H302; Skin corrosion/irritation – Category 2, H315	
CAS: 7553-56-2	lodine	<5%
	Aquatic Acute 1, H400; Acute toxicity - dermal – Category 4, H312; Acute toxicity - inhalation – Category 4, H332	
Non Hazardous (Components:	<u> </u>
CAS: 56-81-5 Glycerol		<10%

4 First Aid Measures

Inhalation: If inhaled, remove to fresh air. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if irritation persists.

Eye Contact:

In case of eye contact, rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Seek immediate medical attention.

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Never give anything by mouth to an unconscious person. Seek medical attention if feeling unwell.

Symptoms Caused by Exposure:

Inhalation: May cause respiratory irritation.

Skin Contact: Causes skin irritation.

Eye Contact: Causes serious eye damage.

Ingestion: May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

5 Fire Fighting Measures

Suitable Extinguishing Media: Water fog or fine spray.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon.

Product is not flammable.

Containers close to fire should be removed only if safe to do so. Use water spray to cool fire exposed containers.

Prevent run-off from fire fighting entering drains or water courses.

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots. Evacuate all non-essential personnel from affected area. Do not breathe vapours or mists.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Inform respective authorities in case of seepage into water course or sewage system.

(Contd. on page 3)

according to WHS Regulations

Date of issue: 06.12.2024 Revision date: 02.12.2024

Product Name: TEAT SHIELD

(Contd. of page 2)

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal.

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours or mists. Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep in original container, tightly closed when not in use. Protect from direct sunlight. Keep away from strong oxidising agents and acids.

8 Exposure Controls and Personal Protection

Exposure Standards:			
CAS: 56-81-5 Glycerol			
WES	TWA: 10 mg/m³ inhalable dust		
CAS: 7553-56-2 lodine			
WES	Peak limitation: 1 mg/m³, 0.1 ppm		

Engineering Controls:

Local exhaust and general ventilation are necessary in work area to prevent accumulation of explosive mixtures. Provide special ventilation in sumps and confined spaces. Use explosion-proof ventilating equipment.

Respiratory Protection:

Use an approved unit respirator (filter type P or SA) under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

Rubber or plastic gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Safety glasses with top and side shields or goggles. See Australian/New Zealand Standards AS/NZS 1336 and 1337 for more information.

9 Physical and Chemical Properties

Appearance:

Form: Frothing liquid
Colour: Dark brown
Odour: lodine

Odour Threshold: No information available

pH-Value: <2.5

Melting point/freezing point:

No information available
Initial Boiling Point/Boiling Range:

No information available

(Contd. on page 4)

according to WHS Regulations

Date of issue: 06.12.2024 Revision date: 02.12.2024

Product Name: TEAT SHIELD

(Contd. of page 3)

Flash Point: No information available

Flammability Not applicable

Auto-ignition Temperature: No information available Decomposition Temperature: No information available

Explosion Limits:

Lower:No information availableUpper:No information availableVapour Pressure:No information available

Relative Density at 20 °C: 1.0-1.1

Vapour Density:No information availableEvaporation Rate:No information available

Solubility in Water: Miscible

Partition Coefficient (n-octanol/water): No information available **Viscosity:** No information available

10 Stability and Reactivity

Possibility of Hazardous Reactions: No dangerous reactions known under conditions of normal use. **Chemical Stability:** Stable at ambient temperature and under normal conditions of storage and use.

Conditions to Avoid: Direct sunlight.

Incompatible Materials: Oxidising agents and acids.

Hazardous Decomposition Products: Oxides of carbon.

11 Toxicological Information

Toxicity:

LD50/LC50 Values:				
CAS: 84133-50-6 Alcohols, C12-C14-secondary, ethoxylated				
Oral	LD50	>412 mg/kg (Rattus norvegicus (rat))		
Inhalation	LC50/4 h	1.06 mg/l (Rattus norvegicus (rat))		
CAS: 56-81-5 Glycerol				
Oral	LD50	12,600 mg/kg (Rattus norvegicus (rat))		
Inhalation	LC50/6 h	4 mg/l (Rattus norvegicus (rat))		
CAS: 7553-56-2 lodine				
Oral	LD50	14,000 mg/kg (Rattus norvegicus (rat))		

Acute Health Effects

Inhalation: May cause respiratory irritation.

Skin: Causes skin irritation. **Eye:** Causes serious eye damage.

Ingestion: May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

Skin Corrosion / Irritation: Causes skin irritation.

Serious Eye Damage / Irritation: Causes serious eye damage.

Respiratory or Skin Sensitisation: Based on classification principles, the classification criteria are not met.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity:

Based on classification principles, the classification criteria are not met.

This product does NOT contain any IARC listed chemicals.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

(Contd. on page 5)

according to WHS Regulations

Date of issue: 06.12.2024 Revision date: 02.12.2024

Product Name: TEAT SHIELD

(Contd. of page 4)

Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects: No data associated with long term health effects.

Existing Conditions Aggravated by Exposure: No data available.

12 Ecological Information

Ecotoxicity:

Aquatic toxicity:

Toxic to aquatic life.

CAS: 84133-50-6 Alcohols, C12-C14-secondary, ethoxylated

EC50/48 h 7.3 mg/l (Daphnia magna (water flea))

LC50/96 h | 3.2-3.6 mg/l (Pimephales promelas (fathead minnow))

Persistence and Degradability: No data available on finished product.

Bioaccumulative Potential: No data available on finished product.

Mobility in Soil: No data available on finished product.

Other adverse effects: No further relevant information available.

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number Not regulated
Proper Shipping Name Not regulated
Dangerous Goods Class Not regulated
Packing Group: Not regulated

15 Regulatory Information

Australian Inventory of Industrial Chemicals: All ingredients are listed.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule:

Poisons Schedule: 6

16 Other Information

Date of Preparation or Last Revision: 02.12.2024

Prepared by: MSDS.COM.AU Pty Ltd www.msds.com.au

Abbreviations and acronyms:

GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

Safety Data Sheet according to WHS Regulations

Revision date: 02.12.2024

Product Name: TEAT SHIELD

Date of issue: 06.12.2024

(Contd. of page 5)

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Acute toxicity - oral - Category 4: Acute toxicity - Category 4

Skin corrosion/irritation - Category 2: Skin corrosion/irritation - Category 2

Eye damage/irritation – Category 1: Serious eye damage/eye irritation – Category 1 Aquatic Acute 1: Hazardous to the aquatic environment, short-term (Acute). Category 1 Aquatic Acute 2: Hazardous to the aquatic environment, short-term (Acute). Category 2

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - July 2020".

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. DASCO Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.